MD   MD   MD

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S44	0	(("initiali$1ation vector" iv) and key and (exclusive$1or$2 x$1or$2 (exclusive near or$2)) and (bit near2 exchang$3)).clm.	US-PGPUB	OR	ON	2007/07/24 11:37
S45	13	(((calculat$3 generat$3 creat$3) near2 key) and (key (key near space)) and (repeat$3 exhaust$3) and bit and shift$3).clm.	US-PGPUB	OR	ON	2007/07/24 11:44
S46	2	(((calculat$3 generat$3 creat$3) near2 key) and (("medium access control" mac) near address) and ("initiali$1ation vector" iv)).clm.	US-PGPUB	OR	ON	2007/07/24 11:45

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5569	713/160,162;380/259-262,270, 273-274,37,42-44,28.ccls. and (@ad<"20021023" or @rlad<"20021023")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 16:14
S2	3213	S1 and (key near4 (generat$3 comput$3 calculat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 19:43
S3	11	S2 and (key near4 (combin$5 x$1or exclusive hash$3 concatenat$3 mix$3) with address same (iv "initialization vector" time timestamp "time stamp" counter sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 15:22
S4	82	S2 and (key near4 (combin$5 x$1or exclusive hash$3 concatenat$3 mix$3) with (address id identif$7) same (iv "initialization vector" time timestamp "time stamp" counter sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 16:03
S5	4	S1 and (tkip "temporal key integrity protocol" "temporal key hash")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 16:13
S6	296	(key near4 (combin$5 x$1or exclusive hash$3 concatenat$3 mix$3) with address same (iv "initialization vector" time timestamp "time stamp" counter sequence variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 20:47
S7	142	(key near4 (combin$5 x$1or exclusive hash$3 concatenat$3 mix$3) with address with (iv "initialization vector" time timestamp "time stamp" counter sequence variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 20:47
S8	103	S7 and (@ad<"20021023" or @rlad<"20021023")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 20:48

S9	93	S8 not S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 16:15
S10	5569	713/160,162;380/259-262,270, 273-274,37,42-44,28.ccls. and (@ad<"20021023" or @rlad<"20021023")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 16:14
S11	3	S10 and (((iv "initialization vector" sequence) with (colli$4 repeat$3 exhaust$3 reus$3)) same (key near4 (modif$7 chang$3 alter$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 16:31
S12	11	("6118869").URPN.	USPAT	OR	ON	2006/11/04 16:37
S13	1	("20040083362").PN.	US-PGPUB; USPAT	OR	OFF	2006/11/04 17:48
S14	5802	713/160,162;380/259-262,270, 273-274,37,42-44,28.ccls. and (@ad<"20021023" or @rlad<"20021023")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 15:22
S15	3377	S14 and (key near4 (generat$3 comput$3 calculat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 15:22
S16	12	S15 and (key near4 (combin$5 x$1or exclusive hash$3 concatenat$3 mix$3) with address same (iv "initialization vector" time timestamp "time stamp" counter sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 17:01
S17	87	S15 and (key near4 (combin$5 x$1or exclusive hash$3 concatenat$3 mix$3) with (address id identif$7) same (iv "initialization vector" time timestamp "time stamp" counter sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 17:04

S18	6	S14 and (tkip "temporal key integrity protocol" "temporal key hash")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 17:15
S19	12	S15 and (key near4 (combin$5 x$1or exclusive hash$3 concatenat$3 mix$3) with address same (iv "initialization vector" time timestamp "time stamp" counter sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 17:16
S20	151	(key near4 (combin$5 x$1or exclusive hash$3 concatenat$3 mix$3) with address with (iv "initialization vector" time timestamp "time stamp" counter sequence variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 16:15
S21	108	S20 and (@ad<"20021023" or @rlad<"20021023")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 17:23
S22	97	S21 not S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 17:19
S23	30	S14 and (((iv "initialization vector" sequence counter number) with (colli$4 repeat$3 exhaust$3 reus$3 roll$1over (roll$3 near over) restart$3)) same (key near4 (modif$7 chang$3 alter$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 17:22
S24	299	((iv "initialization vector" sequence counter number) with (colli$4 repeat$3 exhaust$3 reus$3 roll$1over (roll$3 near over) restart$3 (wrap$4 near around))) same (key near4 (modif$7 chang$3 alter$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 17:22
S25	148	((iv "initialization vector" sequence counter number) near3 (colli$4 repeat$3 exhaust$3 reus$3 roll$1over (roll$3 near over) restart$3 (wrap$4 near around))) with (key near4 (modif$7 chang$3 alter$3 generat$3 deriv$3 renew$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 17:22

7/24/07 11:54:34 AM
C:\Documents and Settings\mdinh\My Documents\EAST\Workspaces\10617642 Improved WEP Encryption Algorithm.wsp

Page 3

EAST Search History

S26	122	S25 and (@ad<"20021023" or @rlad<"20021023")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 17:23
S27	119	S26 not S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 17:24
S28	1	("20040083362").PN.	US-PGPUB; USPAT	OR	OFF	2007/04/25 10:55
S29	5949	713/160,162;380/259-262,270, 273-274,37,42-44,28.ccls. and (@ad<"20021023" or @rlad<"20021023")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 17:01
S30	3478	S29 and (key near4 (generat$3 comput$3 calculat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 17:01
S31	12	S30 and (key near4 (combin$5 x$1or exclusive hash$3 concatenat$3 mix$3) with address same (iv "initialization vector" time timestamp "time stamp" counter sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 17:01
S32	89	S30 and (key near4 (combin$5 x$1or exclusive hash$3 concatenat$3 mix$3) with (address id identif$7) same (iv "initialization vector" time timestamp "time stamp" counter sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 17:04
S33	6	S29 and (tkip "temporal key integrity protocol" "temporal key hash")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 17:15
S34	12	S30 and (key near4 (combin$5 x$1or exclusive hash$3 concatenat$3 mix$3) with address same (iv "initialization vector" time timestamp "time stamp" counter sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 17:16

S35	12	S30 and (key near4 (combin$5 x$1or exclusive hash$3 concatenat$3 mix$3) with address same (iv "initialization vector" time timestamp "time stamp" counter sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 17:19
S36	161	(key near4 (combin$5 x$1or exclusive hash$3 concatenat$3 mix$3) with address with (iv "initialization vector" time timestamp "time stamp" counter sequence variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 17:19
S37	113	S36 and (@ad<"20021023" or @rlad<"20021023")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 17:19
S38	102	S37 not S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 17:19
S39	31	S29 and (((iv "initialization vector" sequence counter number) with (colli$4 repeat$3 exhaust$3 reus$3 roll$1over (roll$3 near over) restart$3)) same (key near4 (modif$7 chang$3 alter$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 17:22
S40	31	S29 and (((iv "initialization vector" sequence counter number) with (colli$4 repeat$3 exhaust$3 reus$3 roll$1over (roll$3 near over) restart$3)) same (key near4 (modif$7 chang$3 alter$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 17:24
S41	153	((iv "initialization vector" sequence counter number) near3 (colli$4 repeat$3 exhaust$3 reus$3 roll$1over (roll$3 near over) restart$3 (wrap$4 near around))) with (key near4 (modif$7 chang$3 alter$3 generat$3 deriv$3 renew$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 17:24
S42	123	S41 and (@ad<"20021023" or @rlad<"20021023")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 17:24

7/24/07 11:54:34 AM
C:\Documents and Settings\mdinh\My Documents\EAST\Workspaces\10617642 Improved WEP Encryption Algorithm.wsp

Page 5

S43	120	S42 not S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 17:25